



NexxZr®+ Multi 2.0

Natural esthetics.
Efficient process.

Natural esthetics.
Efficient process.

NexxZr⁺ Multi 2.0



NexxZr⁺ Multi 2.0 is the successor to the highly aesthetic NexxZr⁺ Multi with an improved formulation.

NexxZr⁺ Multi 2.0 is a dental multilayer zirconium oxide (4Y-TZP cervical, 5Y-TZP incisal) with natural color and translucency gradient and high flexural strength (850 MPa cervical, 650 MPa incisal). These properties enable the fabrication of highly esthetic, monolithic single-tooth and bridge restorations in the anterior and posterior region. The specially adjusted translucency gradient ensures good coverage in the cervical area and increased translucency in the incisal area. The integrated color gradient also ensures the efficient fabrication of natural-looking restorations.

Technical data



Type
5Y-TZP (incisal)
4Y-TZP (cervical)



Flexural strength
650 MPa (incisal)
850 MPa (cervical)



Translucency
49 % (incisal)
45 % (cervical)




Indication
Single-unit restorations and 3-unit bridges



Processing techniques
Infiltration technique
Staining technique
Cut-back technique

Highlights

1 Natural color gradient Efficient fabrication of natural looking restorations



High translucency



Natural color and translucency gradient


2 Specially adjusted translucency gradient Good coverage in the cervical area and increased translucency in the incisal area



True translucency gradient



Lifelike esthetics




Good coverage in the cervical area

3 High flexural strength Single-unit restorations up to 3-unit bridges



Individual possibilities


Multilayer concept



Colour consistency



Sintering program



Phase	Temperature °C °F	Heating/ Cooling rate °C/min. °F/min.	Holding time min.
1	20 - 900 68 - 1652	10 18	30
2	900 - 1500 1652 - 2732	3.3 5.94	120
3	1500 - 900 2732 - 1652	10 18	-
4	900 - 300 1652 - 572	8.3 14.94	-



For more detailed information, please refer to the NexxZr instructions for use.



sagemax.com/eifu

Delivery forms

Geometries
W-98

Thicknesses
14, 16, 20 mm

Colors
BL1, BL2, BL3, BL4, A1, A2, A3, A3.5, A4, B1, B2, B3, B4,
C1, C2, C3, C4, D2, D3, D4

sagemax®
sagemax.com

0860 456 123 | orders@ivodent.co.za | +27 (0)66 121 0247 (WhatsApp) | www.ivodent.co.za

