# SAFETY DATA SHEET Castrol

### Section 1. Identification

Product name	Aircol SN 68
SDS #	452833
Code	452833-GB08
Relevant identified uses of	the substance or mixture and uses advised against
Product use	Compressor lubricant For specific application advice see appropriate Technical Data Sheet or consult our company representative.
Supplier	BP Lubricants USA Inc. 1500 Valley Road Wayne, NJ 07470 Telephone: +1-888-CASTROL
EMERGENCY HEALTH INFORMATION:	+1-800-447-8735
EMERGENCY SPILL INFORMATION:	+1-800-424-9300 (CHEMTREC USA) +1-703-527-3887 (CHEMTREC outside the US)

Suspected of damaging fertility or the unborn child.

### Section 2. Hazards identification

**OSHA/HCS status** 

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture

GHS label elements Hazard pictograms



Warning

Signal word Hazard statements <u>Precautionary statements</u> Prevention

Response Storage Disposal protection.
protection.
exposed or concerned: Get medical attention.
Store locked up.
Dispose of contents and container in accordance with all local, regional, national and international regulations.
None known.

Øbtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing and eye or face

Hazards not otherwise classified

Product name	Aircol SN 68	
Version 2	Date of issue	12/19/2023.

## Section 3. Composition/information on ingredients

Substance/mixture

Mixture

Synthetic base stock. Proprietary performance additives.

Ingredient name	%	CAS number	
Ø,O,O-Triphenyl phosphorothioate	≤3	597-82-0	

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

#### Description of necessary first aid measures

Eye contact	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing. Check for and remove any contact lenses. Get medical attention.
Skin contact	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention.
Inhalation	If inhaled, remove to fresh air. Get medical attention.
Ingestion	Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Get medical attention.
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

#### Most important symptoms/effects, acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	Treatment should in general be symptomatic and directed to relieving any effects.
Specific treatments	No specific treatment.

### Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray.
Unsuitable extinguishing media	Do not use water jet.
Specific hazards arising from the chemical	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	Combustion products may include the following: phosphorus oxides carbon oxides (CO, CO <sub>2</sub> ) (carbon monoxide, carbon dioxide) sulfur oxides (SO, SO <sub>2</sub> etc.)
Special protective actions for fire-fighters	No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.
Special protective equipment for fire-fighters	Fire-fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear.

Product name	Aircol SN 68	Product code	452833-GB08	Page: 2/9
Version 2	Date of issue 12/19/2023.	Format US	Language	ENGLISH

# Section 6. Accidental release measures

Personal precautions, protecti	ve equipment and emergency procedures
For non-emergency personnel	Contact emergency personnel. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Put on appropriate personal protective equipment. Floors may be slippery; use care to avoid falling.
For emergency responders	Entry into a confined space or poorly ventilated area contaminated with vapor, mist or fume is extremely hazardous without the correct respiratory protective equipment and a safe system of work. Wear self-contained breathing apparatus. Wear a suitable chemical protective suit. Chemical resistant boots. See also the information in "For non-emergency personnel".
Environmental precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for con	tainment and cleaning up
Small spill	Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Contaminated absorbent material may pose the same hazard as the spilled

product. Dispose of via a licensed waste disposal contractor.

# Section 7. Handling and storage

Precautions for safe handling	
Protective measures	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Wash thoroughly after handling. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Store and use only in equipment/containers designed for use with this product. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

### Section 8. Exposure controls/personal protection

#### Control parameters

**Occupational exposure limits** 

Ingredient name	Exposure limits	
O,O,O-Triphenyl phosphorothioate	None.	

While specific OELs for certain components may be shown in this section, other components may be present in any mist, vapor or dust produced. Therefore, the specific OELs may not be applicable to the product as a whole and are provided for guidance only.

Product name	Aircol SN 68	Product code	452833-GB08	Page: 3/9
Version 2	Date of issue 12/19/2023.	Format US	Langua	ge ENGLISH

# Section 8. Exposure controls/personal protection

#### **Biological exposure indices**

No exposure indices known.

Appropriate engineering controls	All activities involving chemicals should be assessed for their risks to health, to ensure exposures are adequately controlled. Personal protective equipment should only be considered after other forms of control measures (e.g. engineering controls) have been suitably evaluated. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and properly maintained. Your supplier of personal protective equipment should be consulted for advice on selection and appropriate standards. For further information contact your national organisation for standards. Provide exhaust ventilation or other engineering controls to keep the relevant airborne concentrations below their respective occupational exposure limits. The final choice of protective equipment will depend upon a risk assessment. It is important to ensure that all items of personal protective equipment are compatible.			ould only be ols) have been propriate aintained. advice on ir national evant airborne nent. It is
Environmental exposure controls	comply with the requirem fume scrubbers, filters or	n or work process equipme ents of environmental prot engineering modifications ssions to acceptable levels	ection legislation. In to the process equip	some cases,
Individual protection measures				
Hygiene measures	eating, smoking and usin techniques should be use	nd face thoroughly after ha g the lavatory and at the er d to remove potentially co- fore reusing. Ensure that o on location.	nd of the working per ntaminated clothing.	iod. Appropriate Wash
Eye/face protection	Safety glasses with side s	shields.		
Skin protection				
Hand protection	resistant gloves. Recom depends upon the chemic condition of the gloves (e repeated chemical expos before they must be disca material handling practice intended application. Glo	prolonged or repeated cor mended: Nitrile gloves. Th cals being handled, the cor ven the best chemically re- ures). Most gloves provide arded and replaced. Becau es vary, safety procedures ves should therefore be ch full assessment of the work	e correct choice of p nditions of work and u sistant glove will brea only a short time of use specific work env should be developed osen in consultation	rotective gloves use, and the ak down after protection <i>r</i> ironments and l for each
Body protection	Personal protective equip performed and the risks i this product. Cotton or polyester/cottor contamination that will no regular basis. When the	is good industrial practice oment for the body should b nvolved and should be app n overalls will only provide t soak through to the skin. risk of skin exposure is hig ing) then chemical resistan quired.	be selected based on proved by a specialist protection against lig Overalls should be ph (e.g. when cleaning	t before handling ht superficial laundered on a g up spillages or
Other skin protection		l any additional skin protec performed and the risks inv this product.		
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment. For protection against metal working fluids, respiratory protection that is classified as "resistant to oil" (class R) or oil proof (class P) should be selected where appropriate. Depending on the level of airborne contaminants, an air-purifying, half-mask respirator (with HEPA filter) including disposable (P- or R-series) (for oil mists less than 50mg/m3) or any powered, air-purifying respirator equipped with hood or helmet and HEPA filter (for oil mists less than 125 mg/m3). Where organic vapours are a potential hazard during metalworking operations, a combination particulate and organic vapour filter may be necessary. The correct choice of respiratory protection depends upon the chemicals being handled, the conditions of work and use, and the condition of the respiratory equipment. Safety procedures should be developed for each intended application. Respiratory protection equipment should therefore be chosen in consultation with the supplier/manufacturer and with a full assessment of the working conditions.			appropriate. ask respirator than 50mg/m3), d HEPA filter ations, a being handled, oment. Safety ory protection
Product name Aircol SN 68		Product code	452833-GB08	Page: 4/9
Version 2 Date of issue 12	2/19/2023.	Format US	Language	ENGLISH

# Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### **Appearance**

Appearance Physical state	Liqu	uid.						
Color	Aml							
Odor	Not	Not available.						
Odor threshold	Not	Not available.						
pH	Not	Not applicable.						
Melting point/freezing point		Not available.						
Boiling point, initial boiling point, and boiling range	Not	Not available.						
Flash point	Ope	en cup: >232°C (	>449.6°F)	[Clevela	ind]			
Pour point	-40	°C						
Evaporation rate	Not	available.						
Flammability	Not	applicable. Base	ed on - Phy	/sical sta	ate			
Lower and upper explosion limit/flammability limit	Not	available.						
Vapor pressure	Not	available.						
			Vapo	Vapor Pressure at 20°C		Vapor pressure at 50°C		
	Ing	redient name	mm Hg	kPa	Method	mm Hg	kPa	Method
Relative vapor density		available.						
Density	<10	00 kg/m³ (<1 g/c	m³) at 15.0	6°C				
Solubility(ies)								
Media		Result						
water		Not soluble						
Partition coefficient: n- octanol/water	Not	applicable.						
Auto-ignition temperature	Not	available.						
Decomposition temperature	Not	available.						
Viscosity	Kine Kine	Kinematic: 68 mm²/s (68 cSt) at 40°C Kinematic: 7.6 mm²/s (7.6 cSt) at 100°C						
Particle characteristics								

### Section 10. Stability and reactivity

Reactivity	No specific test data available for this product. Refer to Conditions to avoid and Incompatible materials for additional information.			
Chemical stability	The product is stable.			
Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerization will not occur.			
<b>Conditions to avoid</b> Avoid all possible sources of ignition (spark or flame).				
Incompatible materials	Reactive or incompatible with the following materials: oxidizing materials.			
Product name Aircol SN 68	Product code 452833-GB08 Page: 5/9			
Version 2 Date of issue 1	2/19/2023. Format US Language ENGLISH			

# Section 10. Stability and reactivity

# Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

Information on toxicological effects

Information on the likely routes of exposure	Routes of entry anticipated: Dermal, Inhalation, Eyes.
Potential acute health effects	
Eye contact	No known significant effects or critical hazards.
Skin contact	No known significant effects or critical hazards.
Inhalation	Vapor inhalation under ambient conditions is not normally a problem due to low vapor pressure.
Ingestion	No known significant effects or critical hazards.
Symptoms related to the physic	cal, chemical and toxicological characteristics
Eye contact	No specific data.
Skin contact	Adverse symptoms may include the following: irritation dryness cracking reduced fetal weight increase in fetal deaths
Inhalation	skeletal malformations May be harmful by inhalation if exposure to vapor, mists or fumes resulting from thermal decomposition products accurs
Ingestion	decomposition products occurs. Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
Delayed and immediate effects	and also chronic effects from short and long term exposure
Short term exposure	
Potential immediate effects	Not available.
Potential delayed effects	Not available.
Long term exposure	
Potential immediate effects	Not available.
Potential delayed effects	Not available.
Potential chronic health effect	<u>s</u>
General	No known significant effects or critical hazards.
Carcinogenicity	No known significant effects or critical hazards.
Mutagenicity	No known significant effects or critical hazards.
Teratogenicity	Suspected of damaging the unborn child.
Developmental effects	No known significant effects or critical hazards.
Fertility effects	Suspected of damaging fertility.
Numerical measures of toxicity Acute toxicity estimates Not available.	

### Section 12. Ecological information

#### **Toxicity**

No testing has been performed by the manufacturer.

#### Persistence and degradability

Not expected to be rapidly degradable.

#### **Bioaccumulative potential**

This product is not expected to bioaccumulate through food chains in the environment.

<u>Mobility in soil</u>	
Soil/water partition coefficient (K <sub>oc</sub> )	Not available.
Mobility	Spillages may penetrate the soil causing ground water contamination.
Other adverse effects	No known significant effects or critical hazards.
Other ecological information	Spills may form a film on water surfaces causing physical damage to organisms. Oxygen transfer could also be impaired.

### Section 13. Disposal considerations

**Disposal methods** The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

### Section 14. Transport information

	DOT Classification	TDG Classification	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-
Transport hazard class(es)	-	-	-	-
Packing group	-	-	-	-
Environmental hazards	No.	No.	No.	No.
Additional information	-	-	-	-

Special precautions for user Not available.

Product name	e Aircol SN 68	Product code	452833-GB08	Page: 7/9
Version 2	Date of issue 12/19/2023.	Format US	Langua	ge ENGLISH

### Section 14. Transport information

Transport in bulk according Not available. to IMO instruments

#### Section 15. Regulatory information **U.S. Federal regulations United States inventory** All components are active or exempted. (TSCA 8b) SARA 302/304 **Composition/information on ingredients** No products were found. SARA 311/312 Classification VOXIC TO REPRODUCTION - Category 2 **SARA 313** This product does not contain any hazardous ingredients at or above regulated Form R - Reporting thresholds. requirements **Supplier notification** This product does not contain any hazardous ingredients at or above regulated thresholds. State regulations **Massachusetts** None of the components are listed. **New Jersey** None of the components are listed. None of the components are listed. Pennsylvania California Prop. 65 This product does not require a Safe Harbor warning under California Prop. 65. Other regulations Australia inventory (AIIC) All components are listed or exempted. **Canada inventory** All components are listed or exempted. China inventory (IECSC) All components are listed or exempted. Japan inventory (CSCL) All components are listed or exempted. Korea inventory (KECI) All components are listed or exempted. **Philippines inventory** All components are listed or exempted. (PICCS) **Taiwan Chemical** All components are listed or exempted. **Substances Inventory** (TCSI) **REACH Status** For the REACH status of this product please consult your company contact, as identified in Section 1.

### Section 16. Other information

National Fire Protection Association (U.S.A.)



Product name	Aircol SN 68	Product code	452833-GB08	Page: 8/9
Version 2	Date of issue 12/19/2023.	Format US	Langua	ge ENGLISH

### Section 16. Other information

Key to abbreviations	ACGIH = American Conference of Industrial Hygienists ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor CAS Number = Chemical Abstracts Service Registry Number GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = Iogarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as
	<b>6</b> ,
	I
	<b>v</b>
	modified by the Protocol of 1978. ("Marpol" = marine pollution)
	OEL = Occupational Exposure Limit
	SDS = Safety Data Sheet
	STEL = Short term exposure limit
	TWA = Time weighted average
	UN = United Nations
	UN Number = United Nations Number, a four digit number assigned by the United
	Nations Committee of Experts on the Transport of Dangerous Goods.
	Varies = may contain one or more of the following 64741-88-4, 64741-89-5, 64741-95-3, 64741-96-4, 64742-01-4, 64742-44-5, 64742-45-6, 64742-52-5, 64742-53-6, 64742-54-7, 64742-55-8, 64742-56-9, 64742-57-0, 64742-58-1, 64742-62-7, 64742-63-8, 64742-65-0,
_	64742-70-7, 72623-85-9, 72623-86-0, 72623-87-1

#### ✓ Indicates information that has changed from previously issued version.

#### Notice to reader

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from BP Group.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. You can contact the BP Group to ensure that this document is the most current available. Alteration of this document is strictly prohibited.

Product name	Aircol SN 68			Product code	452833-GB08	Page: 9/9
Version 2	Date of issue	12/19/2023.	Format	US	Language	ENGLISH