# SAFETY DATA SHEET



TLX Plus 303

## Section 1. Identification

GHS product identifier	TLX Plus 303
Product code	461141-ZA01
SDS no.	461141
Relevant identified uses of the	substance or mixture and uses advised against
Use of the substance/ mixture	Marine engine oil. For specific application advice see appropriate Technical Data Sheet or consult our company representative.
Manufacturer	
Supplier	BP Southern Africa (Pty)Ltd 199 Oxford Road Oxford Parks Dunkeld, 2196 South Africa
EMERGENCY TELEPHONE NUMBER	Product Technical Helpdesk: 0800 111 551 Tygerberg Poison Centre: 0861 555 777 Carechem: +27 21 300 2732 (24/7)

### Section 2. Hazards identification

GHS Classification	Not classified.
GHS label elements	
Signal word	No signal word.
Hazard statements	No known significant effects or critical hazards.
Precautionary statements	
Prevention	Not applicable.
Response	Not applicable.
Storage	Not applicable.
Disposal	Not applicable.
Other hazards which do not result in classification	Defatting to the skin. USED ENGINE OILS Used engine oil may contain hazardous components which have the potential to cause skin cancer. See Toxicological Information, section 11 of this Safety Data Sheet.

### Section 3. Composition/information on ingredients

Substance/mixture

Highly refined base oil (IP 346 DMSO extract < 3%). Proprietary performance additives.

Mixture

Ingredient name	%	CAS number
Sistillates (petroleum), solvent-dewaxed heavy paraffinic Distillates (petroleum), hydrotreated heavy paraffinic Phenol, dodecyl-, branched	≥25 - ≤50 ≥25 - ≤50 <0.3	64742-65-0 64742-54-7 74499-35-7 / 121158-58-5

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Product name TLX Plus 303		Product	code 461141-ZA	01 Page: 1/7
Version 2.01	Date of issue 25/11/2020.	Format GHS -	South Africa	Language ENGLISH
		Build 6.1.0 (GHS -	Default)	(ENGLISH)

### Section 4. First aid measures

#### Description of necessary first aid measures Eye contact In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing. Check for and remove any contact lenses. Get medical attention. Inhalation If inhaled, remove to fresh air. Get medical attention if symptoms occur. **Skin contact** Wash skin thoroughly with soap and water or use recognised skin cleanser. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur. Ingestion Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. **Protection of first-aiders** No action shall be taken involving any personal risk or without suitable training. Most important symptoms/effects, acute and delayed See Section 11 for more detailed information on health effects and symptoms. Indication of immediate medical attention and special treatment needed, if necessary

indication of initiation and special realition records, in necessary			
Specific treatments	No specific treatment.		
Notes to physician	Treatment should in general be symptomatic and directed to relieving any effects.		

### Section 5. Firefighting measures

Extinguishing media			
Suitable	In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray.		
Not suitable	Do not use water jet.		
Specific hazards arising from the chemical	In a fire or if heated, a pressure increase will occur and the container may burst.		
Hazardous thermal decomposition products	Combustion products may include the following: metal oxide/oxides carbon oxides (CO, CO <sub>2</sub> ) (carbon monoxide, carbon dioxide)		
Special precautions for fire- fighters	No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.		
Special protective equipment for fire-fighters	Fire-fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear.		

### Section 6. Accidental release measures

Personal precautions, protectiv	e equipment and emergency procedures		
For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment. Floors may be slippery; use care to avoid falling.		
For emergency responders	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".		
Environmental precautions	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).		
Methods and material for conta	inment and cleaning up		
Small spill	Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.		
Large spill	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.		

Product name TLX	Plus 303	F	Product code	461141-ZA0	1 Page: 2/7
Version 2.01	Date of issue 25/11/2020.	Format	t GHS - South	n Africa	Language ENGLISH
		Build 6.1.0	(GHS - Defau	ılt)	(ENGLISH)

# Section 7. Handling and storage

Precautions for safe handling	
Protective measures	Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Wash thoroughly after handling. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Store and use only in equipment/containers designed for use with this product. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
Not suitable	Prolonged exposure to elevated temperature

# Section 8. Exposure controls/personal protection

### Control parameters

**Occupational exposure limits** 

Ingredient name	Exposure limits		
Sistillates (petroleum), solvent-dewaxed heavy paraffinic	ACGIH TLV (United States). TWA: 5 mg/m <sup>3</sup> 8 hours. Issued/Revised: 11/2009 Form: Inhalable fraction		
Distillates (petroleum), hydrotreated heavy paraffinic	<b>ACGIH TLV (United States).</b> TWA: 5 mg/m <sup>3</sup> 8 hours. Issued/Revised: 11/2009 Form: Inhalable fraction		
calcium carbonate	DOL OEL (South Africa). TWA: 5 mg/m <sup>3</sup> 8 hours. Issued/Revised: 8/1995 Form: Respirable dust TWA: 10 mg/m <sup>3</sup> 8 hours. Issued/Revised: 8/1995 Form: total inhalable dust		

Whilst specific OELs for certain components may be shown in this section, other components may be present in any mist, vapour or dust produced. Therefore, the specific OELs may not be applicable to the product as a whole and are provided for guidance only.

Recommended monitoring procedures	If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.			
Appropriate engineering controls	Provide exhaust ventilation or other engineering controls to keep the relevant airborne concentrations below their respective occupational exposure limits. All activities involving chemicals should be assessed for their risks to health, to ensure exposures are adequately controlled. Personal protective equipment should only be considered after other forms of control measures (e.g. engineering controls) have been suitably evaluated. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and properly maintained. Your supplier of personal protective equipment should be consulted for advice on selection and appropriate standards. For further information contact your national organisation for standards. The final choice of protective equipment will depend upon a risk assessment. It is important to ensure that all items of personal protective equipment are compatible.			
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.			
Individual protection measures				
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.			
Eye protection	Safety glasses with side shields.			
Product name TLX Plus 303	Product code 461141-ZA01 Page: 3/7			

Product name TLX	Plus 303		Product code 461	141-ZA01 Page: 3/7
Version 2.01	Date of issue 25/11/2020.	Forma	at GHS - South Afric	ca Language ENGLISH
		Build 6.1.0	(GHS - Default)	(ENGLISH)

# Section 8. Exposure controls/personal protection

Skin protection	
Hand protection	Wear protective gloves if prolonged or repeated contact is likely. Wear chemical resistant gloves. Recommended: Nitrile gloves. The correct choice of protective gloves depends upon the chemicals being handled, the conditions of work and use, and the condition of the gloves (even the best chemically resistant glove will break down after repeated chemical exposures). Most gloves provide only a short time of protection before they must be discarded and replaced. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Gloves should therefore be chosen in consultation with the supplier/manufacturer and with a full assessment of the working conditions.
Skin protection	Use of protective clothing is good industrial practice. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Cotton or polyester/cotton overalls will only provide protection against light superficial contamination that will not soak through to the skin. Overalls should be laundered on a regular basis. When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required.
Other skin protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment. The correct choice of respiratory protection depends upon the chemicals being handled, the conditions of work and use, and the condition of the respiratory equipment. Safety procedures should be developed for each intended application. Respiratory protection equipment should therefore be chosen in consultation with the supplier/manufacturer and with a full assessment of the working conditions.

Section 9. Physical	l and chemical properties
<u>Appearance</u>	
Physical state	Liquid.
Colour	Amber.
Odour	Not available.
Odour threshold	Not available.
рН	Not available.
Melting point	Not available.
Boiling point	Not available.
Pour point	-6 °C
Drop Point	Not available.
Flash point	Closed cup: >200°C (>392°F) [Pensky-Martens.]
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable. Based on - Physical state
Lower and upper explosive (flammable) limits	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	Not available.
Density	<1000 kg/m³ (<1 g/cm³) at 20°C
Solubility	insoluble in water.
Partition coefficient: n- octanol/water	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Kinematic: 95 mm²/s (95 cSt) at 40°C Kinematic: 11 to 12 mm²/s (11 to 12 cSt) at 100°C

Product name TLX	Plus 303	Product code 461141-ZA	01 Page: 4/7
Version 2.01	Date of issue 25/11/2020.	Format GHS - South Africa	Language ENGLISH
		Build 6.1.0 (GHS - Default)	(ENGLISH)

# Section 10. Stability and reactivity

No specific test data available for this product. Refer to Conditions to avoid and Incompatible materials for additional information.
The product is stable.
Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerisation will not occur.
Avoid all possible sources of ignition (spark or flame).
Reactive or incompatible with the following materials: oxidising materials.
Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

Information on toxicological eff	fects
Aspiration hazard	
Not available.	
Information on likely routes of exposure	Routes of entry anticipated: Dermal, Inhalation.
Potential acute health effects	
Eye contact	No known significant effects or critical hazards.
Inhalation	Vapour inhalation under ambient conditions is not normally a problem due to low vapour pressure.
Skin contact	Defatting to the skin. May cause skin dryness and irritation.
Ingestion	No known significant effects or critical hazards.
Symptoms related to the physic	cal, chemical and toxicological characteristics
Eye contact	No specific data.
Inhalation	No specific data.
Skin contact	Adverse symptoms may include the following: irritation dryness cracking
Ingestion	No specific data.
Delayed and immediate effects	as well as chronic effects from short and long-term exposure
Eye contact	Potential risk of transient stinging or redness if accidental eye contact occurs.
Inhalation	Overexposure to the inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract.
Skin contact	Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/ or dermatitis.
Ingestion	Ingestion of large quantities may cause nausea and diarrhoea.
Potential chronic health effect	<u>is</u>
General	USED ENGINE OILS Combustion products resulting from the operation of internal combustion engines contaminate engine oils during use. Used engine oil may contain hazardous components which have the potential to cause skin cancer. Frequent or prolonged contact with all types and makes of used engine oil must therefore be avoided and a high standard of personal hygiene maintained.
Carcinogenicity	No known significant effects or critical hazards.
Mutagenicity	No known significant effects or critical hazards.
Teratogenicity	No known significant effects or critical hazards.
Developmental effects	No known significant effects or critical hazards.
Fertility effects	No known significant effects or critical hazards.

Product name TLX	Plus 303	P	roduct	code	461141-ZA0	1 Page: 5/7
Version 2.01	Date of issue 25/11/2020.	Format	GHS -	South	Africa	Language ENGLISH
		Build 6.1.0	(GHS	- Defau	lt)	(ENGLISH)

# Section 12. Ecological information

Environmental effects	No known significant effects or critical hazards.	
Persistence and		
<u>degradability</u>		
Expected to be biodegradable.		
Bioaccumulative potential		
This product is not expected to b	pioaccumulate through food chains in the environment.	
Mobility	Spillages may penetrate the soil causing ground water contamination.	
Other adverse effects	No known significant effects or critical hazards.	
Other ecological information	Spills may form a film on water surfaces causing physical damage to organisms. Oxygen transfer could also be impaired.	

## Section 13. Disposal considerations

Disposal methods	The generation of waste should be avoided or minimised wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff
	and contact with soil, waterways, drains and sewers.

# Section 14. Transport information

	•		
	IMDG	ΙΑΤΑ	
UN number	Not regulated.	Not regulated.	
UN proper shipping name	-	-	
Transport hazard class(es)	-	-	
Packing group	-	-	
Environmental hazards	No.	No.	
Additional information	-	-	

Special precautions for user Not available.

Transport in bulk according Not available. to IMO instruments

## Section 15. Regulatory information

Regulation according to other	r foreign laws
REACH Status	For the REACH status of this product please consult your company contact, as identified in Section 1.
Australia inventory (AICS)	All components are listed or exempted.
Canada inventory status	All components are listed or exempted.
China inventory (IECSC)	Not determined.
Japan inventory (ENCS)	All components are listed or exempted.
Korea inventory (KECI)	All components are listed or exempted.
Philippines inventory (PICCS)	All components are listed or exempted.

Pro	<mark>duct name</mark> TLX P	lus 303		Product code	461141-ZA01	Page: 6/7
V	ersion 2.01	Date of issue 25/11/2020.	Form	at GHS - South	Africa	Language ENGLISH
			Build 6.1.0	(GHS - Defau	lt)	(ENGLISH)

### Section 15. Regulatory information

Taiwan Chemical
Substances Inventory
(TCSI)
United States inventory
(TSCA 8b)
South Africa
National regulations

Not determined.

All components are active or exempted.

National legislation: Occupational Health and Safety Act (Act 85 of 1993).

### Section 16. Other information

<u>History</u>		
Date of issue/Date of revision	25/11/2020.	
Date of previous issue	30/06/2020.	
Prepared by	Product Stewardship	
Key to abbreviations		

### Indicates information that has changed from previously issued version.

#### Notice to reader

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from BP Group.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. You can contact the BP Group to ensure that this document is the most current available. Alteration of this document is strictly prohibited.

Product name TLX Plus 303		I	Product code	461141-ZA01	Page: 7/7
Version 2.01	Date of issue 25/11/2020.	Forma	t GHS - South	Africa	Language ENGLISH
		Build 6.1.0	(GHS - Defau	lt)	(ENGLISH)