



STEAM

+



VACUUM

Steam cleaners

TECNOVAP
 L'ARTE DEL VAPORE

eng

Steam Turbo

 10,8^{kW} - 17,4^{kW} - 21^{kW} - 21,6^{kW} - 31,8^{kW} - 39^{kW}

STEAM CLEANER

Boiler	Stainless-steel AISI 304 with interchangeable heating elements						
Body	Stainless-steel AISI 304 BA						
Power supply	V - Hz	3~ 400 - 50 (60Hz on request)					
Boiler output	kW/h	10,8	14,4	18	21,6	28,8	36
Maximum output	kW/h	10,8	17,4	21	21,6	31,8	39
Boiler volume	l	13					
Operating pressure	bar	from 1 to 10					
Water tank	l	14					
Detergent tank	l	14					
Steam production	g/min	291	388	485	582	776	970
	Kg/h	17,5	23	29,1	35	46,5	58
Steam temperature	° C	165 - 183					
Detergent temperature	° C	90 - 160					

VACUUM CLEANER

Power output	kW/h	3
Drum capacity	l	14 43
Air flow	m3/h	320
Depression	mm	3200

VARIOUS

Weight	Kg	151
Cable	m	8
Dimensions (generator)	cm	H.166 x L.69 x W. 95,5 drum 43l
Dimensions (pallet)	cm	120x80x165
Pallet/unit	pz	1



Stainless-steel

Technical features


 Operating pressure
10 bar


Water mains



Water tank



Detergent tank



Automatic water refilling



Detergent injection



Overheated water injection



Power regulation switch



Steam pressure regulation



Induction turbine



Control panel



Boiler maintenance signal

Steam cleaner with stainless-steel body and boiler, designed for industrial use and able to deliver dry saturated steam at 183° C:

- Equipped with a wet/dry vacuum cleaner with an induction turbine and drainage pipe.
- A sturdy structure, a fully electric operation and the compact size allows its usage in any environment, both outdoors (watertight protection IPX5) and indoors (e.g. in production lines).
- All steam cleaner functions can be managed on the electronic control panel.
- Equipped with accessories basket, double hose holder, lance holder, cable holder and front 360° swivel wheels with safety brakes.

SCAN ME!



Features

Vacuum cleaner with induction turbine and drum capacity of 14 l or 43 l

Vacuum inlet



Detergent tank - 14 liters



- High pressure pump level indicator
- Detergent tank level indicator
- Hose holder & Geysers lance holders



Steam outlet 12P



Drain hose



Vacuum coupling
Power regulation / On - Off switch


Water tank
14 liters



- Water tank level indicator
- Hose holder & Accessories basket
- Cable holder



Water mains connection



Electric plugs - 8m:

- IEC309/16A Mod. 10,8 kW
- IEC309/32A Mod. 14,4 - 18 - 21,6 kW
- IEC309/63A Mod. 28,8 - 36 kW

Anti-scratch rubber wheels 360° and safety brakes



CONTROL PANEL

- Display to visualize temperature and pressure levels, working hours and boiler cleaning signal
- Steam flow and pressure regulation
- Buttons and indicators for the complete control of the parameters of the steam cleaner



Dimensions



Optional accessories

Steam Turbo can be used with the following accessories:


GEYSER 1 10bar
Steam accessories



RADAMES 10bar
Steam/vacuum accessories



JULY 10 bar
Steam accessories





FOOD
INDUSTRY



MECHANICAL
INDUSTRY



TRANSPORT
INDUSTRY



CONVEYOR
BELT

