



STEAM

+



VACUUM

Steam cleaners

TECNOLAP
L'ARTE DEL VAPORE

eng

Steam Box Industrial

11^{kW} - 17,8^{kW} - 21,8^{kW} - 29^{kW} - 36,2^{kW}

STEAM CLEANER

Boiler	Stainless-steel AISI 304 with interchangeable heating elements					
Body	Stainless-steel AISI 304 BA					
Power supply	V - Hz	3~ 400 - 50/60				
Boiler output	kW/h	10,8	14,4	21,6	28,8	36
Maximum output	kW/h	11	14,6	21,8	29	36,2
Boiler volume	l	11	12	13		
Operating pressure	bar	10				
Water tank	l	20				
Detergent tank	l	20				
Steam production	g/min	291	388	582	776	970
	Kg/h	17,5	23	35	46,5	58
Steam temperature	°C	183				
Detergent temperature	°C	90 - 160				



Stainless-steel

VACUUM CLEANER

Power output	kW/h	2,4	1
Drum capacity	l	25	7,5 14
Air flow	m3/h	320	200
Depression	mm	3200	2200

VARIOUS

Weight	Kg	96 (mod.36kW)
Cable	m	8
Dimensions (generator)	cm	H.110 x L.53 x W. 82,5
Dimensions (pallet)	cm	115x65x125
Pallet/unit	pz	1

Technical features



Operating pressure
10 bar



Water mains



Water tank



Detergent tank



Power regulation switch



Automatic water refilling



Detergent injection



Overheated water injection



Induction turbine



Control panel



Boiler maintenance signal

Steam cleaner with stainless-steel body and boiler, designed for industrial use and able to deliver dry saturated steam at 183° C:

- A sturdy structure, a fully electric operation and the compact size allows its a usage in any environment, both outdoors (watertight protection IPX5) and indoors (e.g. in production lines).
- All steam cleaner functions can be managed on the electronic control panel.
- Equipped with accessories basket, hose holder, cable holder and front 360° swivel wheels with safety brakes.
- Available with an industrial wet/dry vacuum cleaner

SCAN ME!



Features

Power regulation / On - Off switch

Detergent tank - 20 liters

Hose holder

Detergent tank level indicator

Steam outlet 10bar - 12P

Anti-scratch rubber wheels 360° with safety brakes

Version with integrated industrial vacuum cleaner equipped with induction turbine or with two motors. Vacuum drum capacity: 7,5 l - 14 l - 25 l

Water tank - 20 liters


Control panel

Accessory baskets, extension tube holder & water tank level indicator

Water mains connection & hook for Vac Industrial

Electric plugs - 8m:

- IEC309/16A Mod. 10,8 kW
- IEC309/32A Mod. 14,4 - 18 - 21,6 kW
- IEC309/63A Mod. 28,8 - 36 kW



CONTROL PANEL

- Display to visualize temperature and pressure levels, working hours and boiler cleaning signal
- Buttons and indicators for the complete control of the parameters of the steam cleaner



Optional accessories

Steam Box Industrial can be used with the following accessories:

GEYSER 1 10bar
Steam accessories

Steam hose 5m - 8m

Window cleaner w/diffusor

Brush with bristles

100mm lance

Stainless steel threaded brushes

400mm lance

Stainless steel threaded flat nozzle

800mm lance

1200mm lance

RADAMES 10bar
Steam/vacuum accessories

Extension tubes L. 480mm

Steam/vacuum hose 4m - 8m - 12m

Floor tool L. 375mm

Steam/vacuum turbo lance

Squeezee/brush insert L.375mm - 2pcs

Brass/stainless steel brushes Ø28mm - Ø60mm

Squeezee/squeezee insert L.375mm

Stainless steel upholstery tool

JULY 10 bar
Steam accessories

Steam hose 5m - 8m - 10m - 12m

Extension tubes L. 480mm

Rectangular brush

Triangular brush

Steam lance

Stainless steel/brass brushes Ø28mm

Stainless steel brush Ø60mm



FOOD
INDUSTRY



MECHANICAL
INDUSTRY



TRANSPORT
INDUSTRY



CONVEYOR
BELT

