

Steam Power Plus

Steam cleaner with stainless-steel body and boiler, designed for industrial use and able to deliver dry saturated steam at 183° C and high-pressure water up to 150 bar. Equipped with a wet&dry vacuum cleaner and an induction turbine. A sturdy structure, a fully electric operation and the compact size allows a usage in any environment, both outdoors (watertight protection IPX5) and indoors (e.g. in production lines).

All steam cleaner functions can be managed on the electronic control panel.

TECNOVAP

L'ARTE DEL VAPORE

ENG

STEAM GENERATOR



Body material

Stainless steel AISI 304 BA

Boiler material

Stainless steel AISI 304

(with interchangeable heating element)

Boiler volume

13 L

Tanks

Water: **14 L** | Det: **14 L**

Maximum output (kW/h)

14,8 - 14,4 - 21,2 - 21,6 - 32,8 - 40

Boiler output (kW/h)

10,8 - 14,4 - 18 - 21,6 - 28,8 - 36

Steam production

291 - 388 - 485 - 582 - 776 - 970 g/min

17,5 - 23 - 29,1 - 35 - 46,5 - 58 Kg/h

Power supply

3~ 400 V - 50 Hz

Operating pressure

from **1 to 10 bar**

Steam temperature

6 bar: **165 °C** | 10 bar: **183 °C**

Detergent temperature

90 °C - 160 °C

Power cord

8 m

Weight

180 Kg

Dimensions

103x61x90 cm

VACUUM CLEANER



Power output

3 kW/h

Drum capacity

14 L - 43 L

Air flow

320 m³/h

Depression

3200 mm

HIGH PRESSURE WASHER



Motor

4 kW

Water flow

13 L/min

Operating pressure

from **0 to 150 bar**



Scan me!



FEATURES



UNLIMITED
STEAM
AUTONOMY



WATER
MAINS
CONNECTION



WATER &
DETERGENT
TANKS



AUTOMATIC
WATER
REFILLING



DETERGENT
INJECTION



OVERHEATED
WATER
INJECTION



POWER SWITCH
REGULATION
optional



STEAM
PRESSURE
REGULATION



WATER
PRESSURE
REGULATION



CONTROL
PANEL



INDUCTION
TURBINE



BOILER
CLEANING
SIGNAL

FEATURES

Wet/dry industrial vacuum cleaner (3kW) with induction turbine: 14 l - 43 l



Detergent tank - 14 liters



- High pressure pump level indicator
- Detergent tank level indicator
- Hose holder
- Geyser lance holders

Pump pressure regulator and pressure gauge



Steam outlet 12P and high pressure water outlet



Dimension



STEAM POWER
Version with steam and high pressure washer



Vacuum inlet

Drain hose

Water tank 14 liters



- Water tank level indicator
- Hose holder & accessories basket
- Cable holder



Water mains connection



Electric plugs - 8m:

- IEC309/16A Mod. 10,8 kW
- IEC309/32A Mod. 14,4 - 18 - 21,6 kW
- IEC309/63A Mod. 28,8 - 36 kW

Anti-scratch rubber wheels 360° and safety brakes



CONTROL PANEL

- Display to visualize temperature and pressure levels, working hours and boiler cleaning signal
- Steam flow and pressure regulation
- Buttons and indicators for the complete control of the parameters of the steam cleaner



Optional accessories

Steam Power Plus can be used with the following accessories:

GEYSER 1 10bar Steam accessories



GEYSER 2 10bar/150bar Steam/water accessories



RADAMES 10bar Steam/vacuum accessories





FOOD
INDUSTRY



MECHANICAL
INDUSTRY



TRASPORT
INDUSTRY



CONVEYOR
BELT

