

DIESEL LINE

# Steam Sky

Steam cleaner with stainless-steel body and diesel-fired boiler, water filtration system with automatic regeneration of the resins. It is primarily used for environmentally friendly weeding or other applications where a connection to a power supply is not available.

Body material

**Stainless steel AISI 304 BA**

Boiler material

**Stainless steel AISI 316 L**

(with interchangeable heating element)

Power supply

**1~ 230 V - 50/60 Hz**

Maximum output

**35.000 Kcal/h (40kW)**

Boiler volume

**10,7 L**

Operating pressure

**10 bar**

Tanks

Water: **35 L** Detergent: **15 L** Diesel: **18 L**

Diesel consumption

**4 L/h**

Energy consumption

**450 W**

Steam production

**916 gr/min - 55 Kg/h**

Steam temperature

**183°C**

Detergent temperature

**90° C - 160°C**

Weight

**220 Kg**

Dimension

**110x67x110cm**



Scan me!

# TECNOVAP

L'ARTE DEL VAPORE

DESIGNED FOR SIMULTANEOUS USE  
WITH 2 OPERATORS

WATER FILTRATION SYSTEM WITH AUTOMATIC  
REGENERATION OF THE RESINS



## FEATURES



UNLIMITED  
STEAM  
AUTONOMY



TWO STEAM  
OUTLETS



WATER MAINS  
CONNECTION



WATER  
TANK



DETERGENT  
TANK



DIESEL  
TANK



AUTOMATIC  
WATER REFILLING



DETERGENT  
INJECTION



OVERHEATED  
WATER INJECTION




CONTROL  
PANEL



BOILER  
CLEANING  
SIGNAL

# FEATURES



### CONTROL PANEL

- Buttons for steam flow regulation
- Display to visualize temperature and pressure levels, working hours and boiler cleaning signal
- Buttons and indicators for the complete control of the parameters of the steam cleaner

## Optional accessories


Steam Sky can be used with the following accessories:



### INVERTER FOR DIRECT CONNECTION TO A VEHICLE BATTERY

Specs:  
12V DC 230V AC 1000W

### GEYSER 1 10bar - STEAM




### ACCESSORIES FOR ECOLOGIC WEEDING



Foodgrade silicone hose 4m - 8m - 10m



Steam carpet 1500x2800mm



ECOLOGIC  
WEED  
KILLING



SPECIAL  
APPLICATIONS



TRANSPORT  
INDUSTRY

