



STEAM

+



VACUUM

Steam cleaners

TECNOVAP
 L'ARTE DEL VAPORE

eng

Steam Tech

3,75^{kW} - 8,5^{kW} - 12,1^{kW} - 15,6^{kW}

STEAM CLEANER

Boiler	Stainless-steel AISI 304 with interchangeable heating elements				
Body	PE - Varnished steel				
Power supply	V - Hz	1~ 230 - 50/60		3~ 400 - 50/60	
Boiler output	kW/h	3,6	7,2	10,8	14,4
Maximum output	kW/h	3,75	8,5	12,1	15,6
Boiler volume	l	7			
Operating pressure	bar	6	10		
Water tank	l	15			
Detergent tank	l	15			
Steam production	g/min	97	194	291	388
	Kg/h	5,9	11,6	17,5	23
Steam temperature	° C	165	183		
Detergent temperature	° C	90 - 160			

VACUUM CLEANER

Power output	kW/h	1,2
Drum capacity	l	14
Air flow	m3/h	200
Depression	mm	2200

VARIOUS

Weight	Kg	56
Cable	m	8
Dimensions (generator)	cm	H.86 x L.54 x W. 100
Dimensions (pallet)	cm	113x58x86
Pallet/unit	pz	1



Chatanooga

Technical features


 Operating pressure
6 bar

 Operating pressure
10 bar


Water tank



Detergent tank


 Automatic water
refilling


Detergent injection


 Overheated water
injection


Control panel



Vacuum cleaner


 Boiler maintenance
signal

Steam cleaner designed for industrial use with stainless-steel boiler and polyethylene body.

- Able to deliver dry saturated steam 183° or 165°C.
- Equipped with a wet&dry vacuum cleaner, a float that controls its operation
- The sturdy structure, the fully electric operation and the compact size allows its to usage in any environment.
- All steam cleaner functions can be managed on the electronic control panel.
- Equipped with hose/cable holder, accessories basket and 360° swivel front wheels.

SCAN ME!



Features

Vacuum cleaner with float and drum capacity of 14 L



Water tank - 15 liters



Accessory basket and cable holder



Water tank drainage



Steam outlet
6bar - 7P



Steam outlet
10bar - 12P



Dimension

Control panel / ON-OFF switch



Detergent tank - 15 liters



Vacuum inlet



Detergent tank drainage



Electric plugs - 8m:

- SHUKO Mod.3,6 kW
- IEC309/16A Mod.7,2 kW - 10,8 kW
- IEC309/32A Mod.14,4 kW

Anti-scratch rubber wheels 360°

CONTROL PANEL

- Display to visualize temperature and pressure levels, working hours and boiler cleaning signal
- Buttons and indicators for the complete control of the parameters of the steam cleaner



Optional accessories

Steam Tech can be used with the following accessories:

RADAMES 10 bar Steam/vacuum accessories



Steam/vacuum hose
4m - 8m - 12m



Extension tube L. 480mm



Steam/vacuum turbo lance



Floor tool L.375mm



Squeegee/brush insert L.375mm



Squeegee/brush insert L.375mm



Squeegee/squeegee insert L. 375mm

GEYSER 1 Steam accessories



Discover all Geyser 1 accessories

JULY 10 bar Steam accessories



Discover all July 10bar accessories

CAR WASH KIT Steam accessories



Impugnatura STAR con pannello di comando
4m - 8m - 12m



Steam/vacuum upholstery nozzle with horse hair bristles



Stainless steel upholstery nozzle




Vacuum nozzle



Steam lance



Microfiber bonnet



CAR WASH



FOOD
INDUSTRY



TRANSPORT
INDUSTRY



MECHANICAL
INDUSTRY

